EN 420:2003+A1:2009 EN 388:2016

PPE CATEGORY II

Read the instructions carefully. \square

In accordance with the requirements of the Regulation (EU) 2016/425.

Product: Five-fingered gloves made from polyester seamless knitted fabric, palm and fingers coated with microporous nitrile (nitrile foam).

Design:	"ABRAK"	Code:	3410 001 109 XX	Size:	6, 7, 8, 9, 10, 11
Material:	100% Polyester palm and fingers coated with Nitrile foam.				

Purpose: They may serve as a protection of hands against dirt and protection in the working areas where workers have to face minor mechanical hazards (abrasions, soiling...), for example: logistics, warehousing, construction, hobby, municipal services, garden, assembly and packaging of small parts. Put the gloves on dry, clean hands.

The gloves we	re tes	sted in accordance with EN 388 -	mechanical hazards (T	he higher the i	number, the higher the protection factor)
A (0-4)		Abrasion resistance:	Performance level 4		The protection works only against the specthazards. Do not use the gloves as a protection of the prote
B (0-5)		Blade cut resistance (coupe test)	Performance level 1		
C (0-4)		Tear resistance	Performance level 2		against different hazards and classes. results apply only for the model classes, no
D (0-4)		Puncture resistance	Performance level 1		the protection levels (classes). The protect
E (A-F)		Cut Resistance (TDM)	Performance level X	A.B.C.D.E.F	levels (classes) are determined based on
F(P/X) or noth	ing	Impact protection	Performance level X		tests carried out in accordance with conditions determined in the valid stand
EN 420 - prote	ective	gloves (general requirements)			specified here. As for the gloves with two
(1-5)	Dexterity		Performance level 5		more layers it does not necessarily reflect
$,,X''=test\ not\ p$	erforn	ned or not applicable	properties of the outer layer. The protect		
					levels (classes) apply only for new gloves

The protection works only against the specified hazards. Do not use the gloves as a protection against different hazards and classes. The results apply only for the model classes, not for the protection levels (classes). The protection levels (classes) are determined based on the tests carried out in accordance with the conditions determined in the valid standards specified here. As for the gloves with two or more layers it does not necessarily reflect the properties of the outer layer. The protection levels (classes) apply only for new gloves not washed or cleaned.

Please note: The user must check the gloves before and after use to verify that they are in the required condition. Do not use as a protection against different hazards and classes. Do not use the gloves for handling with sharp objects, flames or hot or heated objects, toxic chemicals or greasy objects. Not resistant to soaking.

It is not allowed to wear these gloves in cases with risk of entanglement with moving parts of machines. Due to the dulling of the blade during the cut resistance test (B) the results of the cut tests are only indicative, while the TDM (E) cut resistance test is the result of the reference design. The gloves comply with the requirements for puncture resistance. However, they are not meant for protection against thin, sharp objects, such as injection needles. The mentioned facts may help the user for rational use of this type of protective gloves. It is the responsibility of every user to judge, whether the gloves are used in suitable conditions.

Maintenance, lifetime: After use, make sure the gloves are removed from all pollutants. Thus, you will extend their lifespan. The gloves are designed for single or short-term use only. Dry a damp muff further away from sources of heat at the room temperature. Gloves should not be washed. Any dirt should be brushed out using a soft brush, Nitrile wipe with a damp cloth. Do not clean chemically, bleach, dry in a tumble dryer, or iron. Worn through, burned through, strongly fouled or stiffened pairs have to be replaced with new ones. We are not responsible for any reduction of the protective function due to incorrect care. Under suitable storage conditions, shelf life is 2 years.

Storing and transport: Storing in a clean, dry and ventilated place at the room temperature, without any contamination by moisture, dirt, mould, or other agents reducing the level of protection. Do not expose it to solar radiation. The supplier doesn't provide warranty for such damage. Carry them preferably in original package.

Accessories: The product is supplied without accessories.

Dangerous admixtures: The product does not contain any substances, which are known for their adverse impact on hygiene and health of users nor there are suspected of it. In spite of that, the materials which come into contact with a user's skin can cause an allergic reaction in sensitive individuals. If skin irritation or allergic reaction do not use gloves and contact your doctor immediately.

Disposal: Dispose of used gloves with respect of the soiling level according to the applicable disposal regulations and the regulations of the local authority. Unused gloves can be disposed of with domestic waste.

The Notified Body that performs conformity assessment: Notified Body No. 0075, CTC 4 rue Hermann Frenkel 69367 Lyon cedex 07 France. The Declaration of Conformity can be found here: www.canis.cz; for individual products, in the bar "Documents to download".

Marking (sample) - description:							
ABRAK	Type of gloves	(i)	Notification on the necessity to read the instructions for use				
10	Size	"A"	Production identification				
EN388	Pictograms and numbers of standards which the product complies with	(Cos	Manufacturer's identification				
4121X	Design classes	XX/XXXX XX/XXXX	Month and year of production Use by (month/year)				
C€	Mark of conformity	ZA/XXXX/XXX CAT II	Lot – mark/year/order number PPE category				

