EN 420+A1:2009 EN 388:2016

PPE CATEGORY II

Read the instructions carefully.

Complies with the requirements of the Regulation (EU) 2016/425

Design.	"DONO	Coue.	3100 000 000 AA	Size.	0, 10	Material.	grain goat leather	İ
Purpose: Th	ese gloves are f	for special	purpose with reduced	length, glov	es should not be u	sed for the conver	ntional works. They may serve as	a

protection of hands against dirt and protection in the working areas where workers have to face mechanical hazards (abrasions, soiling...), for example for drivers, when handling with loads. Put the gloves on dry, clean hands.

The gloves were	e tested in accordance with EN 388	8 - mechanical hazards (The hi	igher the numbe	r, the higher the protection factor)	
A (0-4)	Abrasion resistance:	Performance level 2		The protection works only again	
B (0-5)	Cut resistance	Performance level 1	I I √⊑I	hazards. Do not use the gloves a against different hazards and class apply only for the model classe protection levels (classes). The pr (classes) are determined based carried out in accordance with determined in the valid standards	
C (0-4)	Tear resistance	Performance level 2	\ <u>L</u>		
D (0-4)	Puncture resistance	Performance level 2			
E (A-F)	Cut Resistance (TDM)	Performance level X	A.B.C.D.E.F.		
F(P/X) or nothing	ng Impact protection	Performance level X			
EN 420 - protec	ctive gloves (general requirements)			As for the gloves with two or mor	
(1-5)	Dexterity	Performance level 5		not necessarily reflect the properti	
$,,X''=test\ not\ p$	performed or not applicable	layer.			

The protection works only against the specified hazards. Do not use the gloves as a protection against different hazards and classes. The results apply only for the model classes, not for the protection levels (classes). The protection levels (classes) are determined based on the tests carried out in accordance with the conditions determined in the valid standards specified here. As for the gloves with two or more layers it does not necessarily reflect the properties of the outer layer.

EL

Please note: The user must check the gloves before and after use to verify that they are in the required condition. Do not use as a protection against different hazards and classes. Do not use the gloves for handling with sharp objects, flames or hot or heated objects, toxic chemicals or greasy objects. Not resistant to soaking.

It is not allowed to wear these gloves in cases with risk of entanglement with moving parts of machines.

For dulling during the cut resistance test (B), the coupe test results are only indicative while the TDM cut resistance test (E) is the reference performance result. The gloves comply with the requirements for puncture resistance. However, they are not meant for protection against thin, sharp objects, such as injection needles.

The mentioned facts may help the user for rational use of this type of protective gloves. It is the responsibility of every user to judge, whether the gloves are used in suitable conditions.

Maintenance, lifetime: After use, make sure the gloves are removed from all pollutants. Thus, you will extend their lifespan. The gloves are designed for single or short-term use only. Dry a damp muff further away from sources of heat at the room temperature. Gloves should not be washed. Any dirt should be brushed out using a soft brush. Do not clean chemically, bleach, dry in a tumble dryer, or iron. Worn through, burned through, strongly fouled or stiffened pairs have to be replaced with new ones. We are not responsible for any reduction of the protective function due to incorrect care

Storing and transport: Storing in a clean, dry and ventilated place at the room temperature, without any contamination by moisture, dirt, mould, or other agents reducing the level of protection. Do not expose it to solar radiation. The supplier doesn't provide warranty for such damage. Carry them preferably in original package.

Accessories: The product is supplied without accessories.

Dangerous admixtures: Materials which come into contact with the user's skin can cause an allergic reaction in sensitive individuals. It may contain trace amounts of chromium - leather is tanned with chromium. If skin irritation or allergic reaction contact, do not use gloves and seek

Disposal: Dispose of used gloves with respect of the soiling level according to the applicable disposal regulations and the regulations of the local authority. Unused gloves can be disposed of with domestic waste.

The Notified Body that performs conformity assessment:

Notified Body No. 0120, SGS United Kingdom Ltd. Unit 202b, Worle Parkway, Weston-super-Mare, BS22 6WA, UK.

The Declaration of Conformity can be found here: www.canis.cz; for individual products, in the bar "Documents to download".

TYPE: Mai	rking - example:			
"BONO"	Type of gloves			
8	Size			
EN388	Pictogram and number of the standard that the product complies with	O	BONO	
2122X	Results of the tests carried out		®	3100 006 000 08
C€	Conformity mark		8"	8" Z A/2017/426 I
cat II	Glove category	EN420	EN388	8 591940 004224
(i)	Notice on the necessity to read the instructions for use	CE Cat II	2122X	8 "591940"004224"
"EL"	Production identification		2.22	
(Cxs	Manufacturer identification			

