

Information for users

EN

EN 420+A1:2009 EN 388:2003

PPE CATEGORY II



Read the instructions carefully.

In accordance with the requirements of the Regulation (EU) 2016/425

Product: Nylon gloves, seamless knit liner, palm and fingers MICROFOAM nitrile with PU dots, breathable.

Design:	„NAPA“	Code:	3410 003 710 XX	Size:	7, 8, 9, 10	Production pattern:	1011004
Material:	97% Nylon, 3% Elastane – Spandex, coated palm and fingers nitrile with breathable finish MICROFOAM with PU dots.						

Purpose: The basic function of the gloves is protection against injuries that may occur in working areas for which the product is designed. They may serve as a protection of hands against dirt and protection in the working areas where workers have to face mechanical hazards.

The gloves were tested in accordance with EN 388 - mechanical hazards (The higher the number, the higher the protection factor)				
A (0-4)	Abrasion resistance	Performance level 4	 A.B.C.D	The protection works only against the specified hazards. Do not use the gloves as a protection against different hazards and classes. The results apply only for the model classes, not for the protection levels (classes). The protection levels (classes) are determined based on the tests carried out in accordance with the conditions determined in the valid standards specified above. The protection levels (classes) apply only for new gloves not washed or cleaned.
B (0-5)	Blade cut resistance (coupe test)	Performance level 1		
C (0-4)	Tear resistance	Performance level 2		
D (0-4)	Puncture resistance	Performance level 1		
EN 420 - protective gloves (general requirements)				
(1-5)	Dexterity	Performance level 5		
„X“ = test not performed or not applicable..				

Please note: The user must check the gloves before and after use to verify that they are in the required condition. Do not use as a protection against different hazards and classes. Do not use the gloves for handling with sharp objects, flames or hot or heated objects, toxic chemicals or greasy objects. Not resistant to soaking. It is not allowed to wear these gloves in cases with risk of entanglement with moving parts of machines. The gloves comply with the requirements for puncture resistance. However, they are not meant for protection against thin, sharp objects, such as injection needles. The mentioned facts may help the user for rational use of this type of protective gloves. It is the responsibility of every user to judge, whether the gloves are used in suitable conditions.

Maintenance, lifetime: After use, make sure the gloves are removed from all pollutants. To prolong the life of the glove. The gloves are designed for single or short-term use only. Damp gloves should be dried out at a room temperature. Gloves should not be washed. Any dirt should be brushed out using a soft brush, nitrile Wipe with a damp cloth. Do not clean chemically, bleach, dry in a tumble dryer, or iron. The gloves that are worn through, have holes burned through, or are hard must be replaced. We are not responsible for possible reduction of the protective function caused by improper maintenance. Under suitable storage conditions, shelf life is 2 years.

Storing and transport: Storing in a clean, dry and ventilated place at the room temperature, without any contamination by moisture, dirt, mould, or other agents reducing the level of protection. Do not expose it to solar radiation. The supplier doesn't provide warranty for such damage. Carry them preferably in original package.

Accessories: The product is supplied without accessories.

Dangerous admixtures: The gloves contain allergen - Latex. They may cause an allergic reaction if used by sensitive people, including anaphylactic shock. If skin irritation or allergic reaction do not use gloves and contact your doctor immediately.

Disposal: used gloves can be contaminated with infectious materials or other dangerous substances - dispose of them in compliance with the Act on Waste.

The Notified Body that performs conformity assessment:

Notified Body No. 0075, CTC 4 rue Hermann Frenkel 69367 Lyon cedex 07 France.

The Declaration of Conformity can be found here: www.canis.cz; for individual products, in the bar "Documents to download".

Marking - example:		 EN420 EN388 CE cat II 4121	97 % nylon, 3 % elasthan, dlaň a prsty povrstvené nitrilovou pěnou s prodyšnou úpravou MICROFOAM a s PU terčičky. 97 % nylon, 3 % elasthan, dlaň a prsty potiahnuté nitrilovou penou s priedyšnou úpravou MICROFOAM a s PU terčkami. 97% nylon, 3% elasthan dloň i palce powlekanie pianka nitrilowa z oddychającego wykończenia MICROFOAM, z kropkami z PU. 97% Nylon, 3% Elastane, coated palm and fingers Nitrile with breathable finish MICROFOAM with PU dots.
„NAPA“	Type of gloves		
7	Size		
EN388	Pictogram and number of the standard that the product complies with		
4121	Results of the tests carried out		
CE	Conformity mark		
cat II	Glove category		
	Notice on the necessity to read the instructions for use		
„A“	Production identification		
1011004	Design production		
ZA/2018/251	Lot	3410 003 710 07 ZA/2018/251 8 591940 093136	
	Manufacturer identification		

If you need more information, please contact:



Poděbradská 260/59, Hloubětín, 198 00 Praha 9, Czech Republic